VZ and WL series Service Booklet

V8 PETROL ENGINES

This supplement provides the service schedule and coupons for VZ and WL series models fitted with V8 Petrol engines.

This supplement should be kept, together with the Owner's Handbook, in the glovebox of your car.

Vehicle Identification Certificate

Owner's name

Owner's address

Town State Postcode

Vehicle Identification Number (17 character ISOVIN)

Model name

Registration number Engine number

Odometer reading

Date of purchase

Selling Retailer's Stamp and Signature

GM Holden Ltd, ABN 84 006 893 232 (hereinafter Holden)

Change of name, address or ownership
In the event of a Safety Recall, or for various reasons, Holden may need to contact you as the owner of this vehicle. Also, if less than three years old, this vehicle will qualify for Roadside Assistance, refer to Chapter 9 in your Owner Handbook.

If you have recently changed your address, or name, or purchased this vehicle second-hand, please help us to help you by taking a few minutes to fill in and mail the form on the third page of this handbook. For information about GM Holden's privacy policy, please visit Holden's website at www.holden.com.au

Printed in Australia
Part No. 92209614
October 2005 (V8 Petrol Engines Print 3)

© 2005 GM Holden Ltd
Reproduction in whole or part is prohibited without written approval from GM Holden Ltd, ABN 84 006 893 232

V8
petrol engines

Page

2 Determining service intervals

3 Distance/time based service intervals

4 Servicing

- The free first inspection
- Service coupons
- Your Holden Dealer
- Warranty and service

5 Additional service requirements

- Operating conditions

8 Maintenance Schedule

14 Service charges

15 Service coupons

Determining the proper service interval

The operating conditions of your vehicle determine the service interval required. Use the odometer reading or the time interval, whichever occurs first, to determine when the service is due.

Under certain operating conditions, not only does your Holden require more regular servicing, it also requires additional servicing to ensure maximum safety, performance and longevity. (Refer to Additional Service Requirements on Page 5)

The additional service requirements typically include more frequent replacement of lubricating oils for example, engine transmission fluids and the more frequent inspection of steering, suspension and brake system components.

Also, brake fluid deteriorates with time and should normally be replaced every two years. However, frequent heavy duty towing places a higher demand on the braking system. Therefore, brake fluid should be replaced each year if towing 1600 kg (or higher).

Your Holden Dealer will be able to determine the appropriate service requirements for your vehicle according to your operating conditions.

If you drive less than 10 000 km in a 6 month period, some oils may require changing more frequently. Engine oil can deteriorate faster than normal if the engine is operated in significantly hot or cold conditions or if driving in unusual environments (for example, high dust levels).

Distance / time based service intervals

The first inspection is due at 3000km or 3 months (whichever occurs first). The first service is due at 10 000 km or 6 months (whichever occurs first). Thereafter, at every 10 000 km or 6 months since the last service (whichever occurs first). Additional services are required under certain driving conditions, such as when towing.

Service reminder message

A service reminder message is built into the trip computer.

The reminder message first appears 1000 km before the service is actually due, giving you time to arrange for the service to be carried out.

The message shows on the Trip computer for 10 seconds whenever the ignition is switched on or off, until the trip computer is reset.

When the service is overdue the message flashes for 10 seconds when the ignition is turned on or off.

For example:

- **3000 km** Service shows when the car has travelled 2000 km since it was built.
- **10 000 km** Service shows when the car has travelled 9000 km since it was built.
- **20 000 km** Service shows when the car has travelled 19 000 km since it was built.
- **30 000 km** Service shows when the car has travelled 29 000 km since it was built.

This message is triggered by a distance calculation.

The trip computer will be reset by your Holden Dealer when the vehicle is serviced.

Remember to consider additional service requirements based on time and driving conditions. Refer to page 2.

SERVICING

The free first inspection

The 3000 km inspection is performed free of charge by the Selling Dealer. A different Holden Dealer may perform this inspection if provided with a Letter of Authority.

The Selling Dealer will supply this letter upon request.

Service coupons

Service coupons are provided at the end of this booklet. When each service is performed, the appropriate coupon is removed. This reveals the following coupon to remind you when the next service is due.

After each service, check that the service has been validated with the Dealer's stamp and signature on the coupon stub. This is important as it not only assists in the determination of Warranty Claims, but enhances the value of the vehicle when selling.

Service coupons are provided for each service up to the 210 000 km service. For correct maintenance after this service, follow the Maintenance Schedule on pages 6 to 11, commencing with the 20 000 km service.

Your Holden Dealer

When it comes to service, remember that your Holden Dealer has the trained personnel and specialised equipment to correctly service your vehicle. Your Dealer invites you to return for all your service needs both during and after the Warranty Period.

The safety, economy, emission control, performance and reliability of your vehicle cannot be assured unless regular maintenance is performed, preferably by factory-trained technicians at Holden Dealers.

Warranty and service

All maintenance services (and replacement of service items) listed in this handbook are the responsibility of the owner and as such are NOT considered under the provisions of the New Vehicle Warranty to be rectification of defective material and workmanship. Items such as wheel alignment, necessary adjustments to drive belts, transmission, clutch and parking brake or any other items which may require servicing due to fair wear and tear are carried out at the owner's cost.

Damage caused by failure to have proper maintenance services carried out by an authorised Holden Dealer or authorised Service Outlet, or in accordance with Holden's specifications, may void your New Vehicle Warranty.

It is strongly recommended that you read the 'New Vehicle Warranty' in Chapter 9 of your Owner's Handbook so that you are aware of your Warranty exclusions.

ADDITIONAL SERVICE REQUIREMENTS

The Maintenance Schedule on pages 8 to 13 lists the service items for normal driving requirements. Additional service items are required when driving under any of the operating conditions listed below. If you operate the vehicle under any of these conditions on a one off basis, for example a holiday trip, then an additional service should be performed for that time only. The additional service should include all additional service items that apply to the operating conditions.

Operating conditions:

A = Dust, dirt, loose road material.

B = Muddy and wet areas.

C = Cold weather (below 5°C) and when most trips are less than 5 km.

D = Stop-start driving, excessive idling or low speed operation as experienced in inner city driving, e.g. taxi, door to door delivery, police.

E = Caravan or trailer towing.

F = Extended heavy load, high speed operation in temperatures above 35°C.

G = Travelling more than 250 000 km in a 5 year period.

Change automatic transmission fluid and strainer every 30 000 km				D	E	F	
Inspect front suspension and steering for leaks, wear or damage every 5000 km	A	B					
Change engine oil every 5000 km or 3 months (whichever comes first)	A		C	D	E	F	
Replace engine oil filter every 5000 km or 3 months (whichever comes first)	A						
Replace air cleaner element every 20 000 km	A						
Inspect and clean park brake linings every 20 000 km	A	B					
(Not AWD) Change differential oil every 20 000 km					E	F	
(AWD) Change front and rear differential oil every 20 000 km					E	F	
Change brake fluid every 1 year if towing 1600 kg (or higher)*					E		
Change power steering fluid every 50 000 km					E	F	
(V8 engine) Change engine coolant							G
Inspect carbon canister every 20 000 km	A	B					
Replace carbon canister every 80 000 km	A	B					

* Brake fluid deteriorates with time and should normally be replaced every two years. However, heavy duty towing requires fresher fluid due to the higher demand on the brake system. Therefore, brake fluid should be replaced each year if towing 1600 kg (or higher), so that the brake system can cope with the next year's towing requirements.

ADDITIONAL SERVICE REQUIREMENTS cont.

Further servicing required?

As a guide, if you operate your vehicle continually for a period of one month or 1000 km under any of the conditions listed, then additional services are recommended. If you consider that further servicing may be required, consult the service manager of your Holden Dealer.

Additional service coupons

These coupons are for recording additional servicing. There are more coupons on the following page.

Date..... km..... Servicing Retailer.....
Items performed: .....
.....
Date..... km..... Servicing Retailer.....
Items performed: .....
.....
Date..... km..... Servicing Retailer.....
Items performed: .....
.....
Date..... km..... Servicing Retailer.....
Items performed: .....
.....
Date..... km..... Servicing Retailer.....
Items performed: .....
.....
Date..... km..... Servicing Retailer.....
Items performed: .....
.....
Date..... km..... Servicing Retailer.....
Items performed: .....
.....

ADDITIONAL SERVICE REQUIREMENTS cont.

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

Date..... km..... Servicing Retailer.....

Items performed: .....

.....

MAINTENANCE SCHEDULE

x 1 000 km	3	10	20	30	40	50	60	70	80	90	100	110
or months **(whichever occurs first)**	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under bonnet												
*Change engine oil and engine oil filter.	-	X	X	X	X	X	X	X	X	X	X	X
Replace spark plugs.	-	-	-	-	-	-	-	-	-	X	-	-
Check fluid levels: brake, clutch, power steer, auto transmission, washer. Check coolant % with tester and check level (pressure test if low level).	X	X	X	X	X	X	X	X	X	X	X	X
Check battery electrolyte and fluid level.	X	X	X	X	X	X	X	X	X	X	X	X
Engine accessory drive belts. Check length indicator and belt condition.	-	-	-	-	-	X	-	X	-	X	-	X
Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.	X	X	X	X	X	X	X	X	X	X	X	X
* Drain and refill cooling system with recommended inhibitor. Clean outside of the radiator and A/C condenser.	Change every 60 months											
* Replace engine air cleaner element.	-	-	-	-	X	-	-	-	X	-	-	-

*Items marked with the asterisk require additional servicing under some driving conditions. Please refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1 000 km	120	130	140	150	160	170	180	190	200	210
or months **(whichever occurs first)**	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under bonnet										
*Change engine oil and engine oil filter.	X	X	X	X	X	X	X	X	X	X
Replace spark plugs.	-	-	-	-	-	-	X	-	-	-
Check fluid levels: brake, clutch, power steer, auto transmission, washer. Check coolant % with tester and check level (pressure test if low level).	X	X	X	X	X	X	X	X	X	X
Check battery electrolyte and fluid level.	X	X	X	X	X	X	X	X	X	X
Engine accessory drive belts. Check length indicator and belt condition.	-	X	-	X	-	X	-	X	-	X
Check for signs of deterioration and/or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.	X	X	X	X	X	X	X	X	X	X
* Drain and refill cooling system with recommended inhibitor. Clean outside of the radiator and A/C condenser.	Change every 60 months									
* Replace engine air cleaner element.	X	-	-	-	X	-	-	-	X	-

*Items marked with the asterisk require additional servicing under some driving conditions. Please refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1 000 km	3	10	20	30	40	50	60	70	80	90	100	110
or months (whichever occurs first)	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under vehicle												
Replace fuel filter and retainer (external type)	-	-	-	-	X	-	-	-	X	-	-	-
Replace fuel filter and seal (in-tank type)	Replace every 210 000 km											
(Not AWD) Check final drive oil level.	-	-	-	-	X	-	-	-	X	-	-	-
(AWD) Check front & rear final drive oil level	-	-	-	-	X	-	-	-	X	-	-	-
*(Not AWD) Change final drive oil.	Not required under normal driving conditions											
*(AWD) Change final drive oil. (Includes front, rear & transfer case oil.)	Change at 160 000 km											
(Not AWD) Check final drive & auto trans for leaks	X	X	X	X	X	X	X	X	X	X	X	X
(AWD) Check front & rear final drives, transfer case & auto trans for leaks	X	X	X	X	X	X	X	X	X	X	X	X
*Change auto trans fluid and strainer.	-	-	-	-	-	-	-	-	-	-	-	X
Manual trans. Check oil level.	Oil level check not required.											
Manual trans. Check for leaks.	-	-	-	-	X	-	-	-	X	-	-	-
*Change differential oil.	Not required under normal driving conditions.											
Inspect front and rear disc pads for wear and discs for surface condition.	X	X	X	X	X	X	X	X	X	X	X	X
*Park brake, check linings & drums for wear.	-	-	-	-	X	-	-	-	X	-	-	-
Inspect tyres for irregular wear or damage. (1)Rotate and balance wheels. Check air pressures and for wheel damage.	X	X	X	X	X	X	X	X	X	X	X	X
*Drain, refill and bleed brake system. Check brake performance when road testing.	Change every 24 months (regardless of km) under normal driving conditions.											
Drain, refill and bleed clutch system.	Change every 24 months (regardless of km)											
Check all brake and fuel lines and hoses for condition, attachment and routing.	X	X	X	X	X	X	X	X	X	X	X	X
*Inspect front and rear suspension & steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing, leaks, etc. Check condition of all rubber boots and covers.	X	X	X	X	X	X	X	X	X	X	X	X
Inspect exhaust & adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.	X	X	X	X	X	X	X	X	X	X	X	X

(1) Rotate & balance of wheels not required at 3 000km inspection.

*Items marked with the asterisk require additional servicing under some driving conditions. Please refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1 000 km	120	130	140	150	160	170	180	190	200	210
or months (whichever occurs first)	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under vehicle										
Replace fuel filter and retainer (external type)	-	-	-	-	X	-	-	-	X	-
Replace fuel filter and seal (in-tank type)	Replace every 210 000 km									
(Not AWD) Check final drive oil level.	-	-	-	-	X	-	-	-	X	-
(AWD) Check front & rear final drive oil level	-	-	-	-	X	-	-	-	X	-
*(Not AWD) Change final drive oil.	Not required under normal driving conditions									
*(AWD) Change final drive oil. (Includes front, rear & transfer case oil.)	Change at 160 000 km									
(Not AWD) Check final drive & auto trans for leaks	X	X	X	X	X	X	X	X	X	X
(AWD) Check front & rear final drives, transfer case & auto trans for leaks	X	X	X	X	X	X	X	X	X	X
*Change auto trans fluid and strainer.	-	-	-	-	-	-	-	-	-	-
Manual trans. Check oil level.	Oil level check not required.									
Manual trans. Check for leaks.	-	-	-	-	X	-	-	-	X	-
*Change differential oil.	Not required under normal driving conditions.									
Inspect front and rear disc pads for wear and discs for surface condition.	X	X	X	X	X	X	X	X	X	X
*Park brake, check linings & drums for wear.	-	-	-	-	X	-	-	-	X	-
Inspect tyres for irregular wear or damage. Rotate and balance wheels. Check air pressures and for wheel damage.	X	X	X	X	X	X	X	X	X	X
*Drain, refill and bleed brake system. Check brake performance when road testing.	Change every 24 months (regardless of km) under normal driving conditions.									
Drain, refill and bleed clutch system.	Change every 24 months (regardless of km)									
Check all brake and fuel lines and hoses for condition, attachment and routing.	X	X	X	X	X	X	X	X	X	X
*Inspect front and rear suspension & steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing, leaks, etc. Check condition of all rubber boots and covers.	X	X	X	X	X	X	X	X	X	X
Inspect exhaust & adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.	X	X	X	X	X	X	X	X	X	X

*Items marked with the asterisk require additional servicing under some driving conditions. Please refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1 000 km	3	10	20	30	40	50	60	70	80	90	100	110
or months **(whichever occurs first)**	3	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6	+6
Under vehicle cont.												
Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears or splits.	X	X	X	X	X	X	X	X	X	X	X	X
Auto load levelling, if fitted. Change air filter.	-	-	-	-	X	-	-	-	X	-	-	-
Clean and lubricate auto trans shift linkage.	-	X	X	X	X	X	X	X	X	X	X	X
*Check carbon canister for leaks or restrictions.	-	-	X	-	X	-	X	-	X	-	X	-
Inspect air cond. drain tubes for blockage.	-	-	-	-	X	-	-	-	X	-	-	-
(Not AWD) Inspect sunroof front & rear drain grommets for blockage		X	X	X	X	X	X	X	X	X	X	X
(AWD) Inspect sunroof front drain grommet for blockage.		X	X	X	X	X	X	X	X	X	X	X
Inspect oil pan sheild for damaged, missing or misaligned parts or loose connections.	X	X	X	X	X	X	X	X	X	X	X	X
Vehicle interior												
Check park brake operations.	X	X	X	X	X	X	X	X	X	X	X	X
Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.	X	X	X	X	X	X	X	X	X	X	X	X
Reset "Service Due" light.	X	X	X	X	X	X	X	X	X	X	X	X
Vehicle exterior												
Check operation of all exterior lights.	X	X	X	X	X	X	X	X	X	X	X	X
Lubricate bonnet catch, hinges and lock cylinders.	X	X	X	X	X	X	X	X	X	X	X	X
Check transmitter range of security system.	X	X	X	X	X	X	X	X	X	X	X	X
(AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of the tailgate opening area.)		X	X	X	X	X	X	X	X	X	X	X
Road test												
Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check A/C performance. Check neutral start switch.	X	X	X	X	X	X	X	X	X	X	X	X

*Items marked with the asterisk require additional servicing under some driving conditions. Please refer to page 2.

MAINTENANCE SCHEDULE cont.

x 1 000 km	120	130	140	150	160	170	180	190	200	210		
or months (**whichever occurs first**)	+6	+6	+6	+6	+6	+6	+6	+6	+6	*+6*		
Under vehicle cont.												
Inspect all constant velocity joints for damage or torn boots and propshaft rubber couplings for tears or splits.	X	X	X	X	X	X	X	X	X	X		
Auto load levelling, if fitted. Change air filter.	-	-	-	-	X	-	-	-	X	-		
Clean and lubricate auto trans shift linkage.	X	X	X	X	X	X	X	X	X	X		
*Check carbon canister for leaks or restrictions.	-	-	X	-	X	-	X	-	X	-		
Inspect air cond. drain tubes for blockage.	-	-	-	-	X	-	-	-	X	-		
(Not AWD) Inspect sunroof front & rear drain grommets for blockage	X	X	X	X	X	X	X	X	X	X		
(AWD) Inspect sunroof front drain grommet for blockage.	X	X	X	X	X	X	X	X	X	X		
Inspect oil pan sheild for damaged, missing or misaligned parts or loose connections.	X	X	X	X	X	X	X	X	X	X		
Vehicle interior												
Check park brake operations.	X	X	X	X	X	X	X	X	X	X		
Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.	X	X	X	X	X	X	X	X	X	X		
Reset "Service Due" light.	X	X	X	X	X	X	X	X	X	X		
Vehicle exterior												
Check operation of all exterior lights.	X	X	X	X	X	X	X	X	X	X		
Lubricate bonnet catch, hinges and lock cylinders.	X	X	X	X	X	X	X	X	X	X		
Check transmitter range of security system.	X	X	X	X	X	X	X	X	X	X		
(AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of the tailgate opening area.)	X	X	X	X	X	X	X	X	X	X		
Road test												
Check braking, steering, engine response & transmission operation. Check operation of cruise control. Check park pawl operation. Check A/C performance. Check neutral start switch.	X	X	X	X	X	X	X	X	X	X	X	X

*Items marked with the asterisk require additional servicing under some driving conditions. Please refer to page 2.

SERVICE CHARGES

Lubricants and materials

The owner is charged for all lubricants and materials used, plus labour, at the times recommended on the previous pages.

Brake fluid

Must be changed every 24 months (charge added for brake fluid and 0.4 hour labour).

Clutch fluid

Must be changed every 24 months (charge added for clutch fluid and 0.2 hour labour).

Engine coolant

Must be changed every 60 months (charge added for engine coolant and 0.4 hour labour).

Fuel filter and seal (in-tank)

Must be changed every 210 000 km. (charge added for parts, and 1.0 hour labour).

Fault repairs

The owner is charged for the repair or replacement of any part found faulty during a service check and not covered by Holden Warranty.

Where any deficiencies are noted, such items should be reported to the owner / operator and the extra work authorised.

Additives not recommended

The use of break-in oil, tune-up compounds, friction reducing compounds and other supplemental additives are not recommended; their use not only increases operating costs, but may indeed be harmful to your vehicle.

Free inspection Coupon: 3000 km or 3 months

This coupon should not be removed until the car is presented for service.

Owner's Name — Mr. / Mrs. / Miss. / Other.....

Address .....

Town .....

State ..... Postcode .....

Reg. no. ..... Engine no .....

ISOVIN ..... Model .....

Selling Dealer's Stamp & Signature .....

Date of Acquisition .....

This vehicle has been thoroughly checked in accordance with the schedule on the reverse side of this coupon.

Servicing Dealer's Stamp and Signature .....

Servicing Dealer .....

Town ..... State .....

Owner's signature .....

This inspection is provided free of charge.

3000 km / 3 months Free inspection validation

This vehicle has been thoroughly checked in accordance with the 5000 km / 3 month free inspection.

Dealer .....

Service Manager's signature .....

Date ..... Odometer reading .....

Under bonnet

- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
10 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 10 000 km / 6 month service.

Servicing Dealer .....

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

***Service Coupon*: at 10 000 km or 6 months**

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours labour
- engine oil and engine oil filter

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
20 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 20 000 km / 6 month service.
Servicing Dealer .....
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

***Service Coupon*: at 20 000 km or 6 months**
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
30 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 30 000 km / 6 month service.

Servicing Dealer .....

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

***Service Coupon*: at 30 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours labour
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
40 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 40 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: at 40 000 km or 6 months
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.5 hours
- engine oil and engine oil filter
- air cleaner element
- auto load level filter (if fitted)
- fuel filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.
- ❑ Replace engine air cleaner element.
- ❑ (AWD) Check front & rear final drive oil level

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer.
- ❑ Check final drive oil level.
- ❑ Check final drive and auto trans for leaks.
- ❑ Manual transmission. Check for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Parking brake - check linings and drums for wear.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect air conditioner drain tubes for blockage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
50 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 50 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

***Service Coupon*: at 50 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
60 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 60 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

Service Coupon: at 60 000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
70 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 70 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

***Service Coupon*: at 70 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
80 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 80 000 km / 6 month service.

Servicing Dealer .....
Brake fluid changed: YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Additional services performed:

.....
.....
.....

***Service Coupon*: at 80 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.5 hours
- engine oil and engine oil filter
- air cleaner element
- auto load level filter (if fitted)
- fuel filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.
- ❑ Replace engine air cleaner element.
- ❑ (AWD) Check front & rear final drive oil level

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer.
- ❑ Check final drive oil level.
- ❑ Check final drive and auto trans for leaks.
- ❑ Manual transmission. Check for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Parking brake - check linings and drums for wear.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect air conditioner drain tubes for blockage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
90 000 km / 6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 90 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Clutch fluid changed YES/NO

Additional services performed:
.....
.....
.....

***Service Coupon*: at 90 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours add 0.4 hours spark plugs
- engine oil and engine oil filter
- spark plugs
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
100 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 100 000 km / 6 month service.
Servicing Dealer.....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

***Service Coupon*: at 100 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
110 000 km /
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 110 000 km / 6 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO

Coolant changed: YES/NO

Date of Service ..... Odometer .....

Signed .....

Clutch fluid changed YES/NO

Additional services performed:

.....

.....

.....

***Service Coupon*: at 110 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours; add 0.3 for auto trans.
- engine oil and engine oil filter
- if auto trans fitted: add auto trans strainer, gasket and fluid
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Change auto trans oil and strainer - fit new pan gasket.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Coupon: at 120 000 km or 6 months from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.5 hours
- engine oil and engine oil filter
- air cleaner element
- auto load level filter (if fitted)
- fuel filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.
- ❑ Replace engine air cleaner element.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Service Validation
120 000 km / 6 months since last service (whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 120 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO
Coolant changed: YES/NO
Date of Service .....
Signed .....

Additional services performed:
.....
.....
.....
.....

Under vehicle

- ❑ Replace fuel filter and retainer.
- ❑ Check final drive oil level.
- ❑ Check final drive and auto trans for leaks.
- ❑ Manual transmission. Check for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Parking brake - check linings and drums for wear.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect air conditioner drain tubes for blockage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
130 000 km /
6 months
since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 130 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: at 130 000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
140 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 140 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....
Additional services performed:
.....
.....
.....

Service Coupon: at 140 000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
150 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 150 000 km / 6 month service.
Servicing Dealer .....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....
.....

***Service Coupon*: at 150 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
160 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 160 000 km / 6 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Clutch fluid changed YES/NO

Coolant changed: YES/NO

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

Service Coupon: at 160 000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.5 hours
- engine oil and engine oil filter
- air cleaner element
- auto load level filter (if fitted)
- fuel filter
- if AWD Change final drive oil add 0.2 hours plus oil
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.
- ❑ Replace engine air cleaner element.
- ❑ (AWD) Check front & rear final drive oil level
- ❑ (AWD) Change final drive oil. (Includes front, rear & transfer case oil.)

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer.
- ❑ Check final drive oil level.
- ❑ Check final drive and auto trans for leaks.
- ❑ Manual transmission. Check for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Parking brake - check linings and drums for wear.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect air conditioner drain tubes for blockage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
170 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 170 000 km / 6 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Clutch fluid changed YES/NO

Coolant changed: YES/NO

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

.....

***Service Coupon*: at 170 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
180 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 180 000 km / 6 month service.

Servicing Dealer ..... Additional services performed:

Brake fluid changed: YES/NO Clutch fluid changed YES/NO .....

Coolant changed: YES/NO .....

Date of Service ..... Odometer ....

Signed .....

Service Coupon: at 180 000 km or 6 months

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours add 0.4 hours spark plugs
- engine oil and engine oil filter
- spark plugs
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
190 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 190 000 km / 6 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO Clutch fluid changed YES/NO

Coolant changed: YES/NO

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

***Service Coupon*: at 190 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.1 hours
- engine oil and engine oil filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
200 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 200 000 km / 6 month service.

Servicing Dealer .....

Brake fluid changed: YES/NO

Coolant changed: YES/NO

Date of Service ..... Odometer .....

Signed .....

Additional services performed:

.....

.....

.....

***Service Coupon*: at 200 000 km or 6 months**

from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 1.5 hours
- engine oil and engine oil filter
- air cleaner element
- auto load level filter (if fitted)
- fuel filter
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.
- ❑ Replace engine air cleaner element.
- ❑ (AWD) Check front & rear final drive oil level

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Service items continue next page.

Under vehicle

- ❑ Replace fuel filter and retainer.
- ❑ Check final drive oil level.
- ❑ Check final drive and auto trans for leaks.
- ❑ Manual transmission. Check for leaks.
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Parking brake - check linings and drums for wear.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect air conditioner drain tubes for blockage.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.

Service Validation
210 000 km / 6 months since last service
(whichever occurs first)

This vehicle has been thoroughly checked in accordance with the 200 000 km / 6 month service.
Servicing Dealer.....
Brake fluid changed: YES/NO Clutch fluid changed YES/NO
Coolant changed: YES/NO
Date of Service ..... Odometer .....
Signed .....

Additional services performed:
.....
.....
.....

***Service Coupon*: at 210 000 km or 6 months**
from the last service (whichever occurs first)

I authorise performance of the services specified on this coupon. I understand that I will be charged for the time, parts and lubricants, as listed:

- 2.1 hours
- engine oil and engine oil filter
- fuel filter and sealing ring
- if brake fluid changed add 0.4 hours plus brake fluid
- if clutch fluid changed add 0.2 hours plus brake fluid
- if engine coolant changed add 0.4 hours plus coolant

There will also be a charge for additional services as requested:

.....

.....

Signature ..... Date .....

Note: If the owner of this vehicle has changed since the last service, refer to the change form in the introduction of your Owner's Handbook.

- ❑ Brake Fluid Change every 2 years (regardless of km)
- ❑ Clutch Fluid Change every 2 years (regardless of km)
- ❑ Coolant Change every 5 years (regardless of km)

Under bonnet

- ❑ Change engine oil and engine filter.
- ❑ Check fluid levels: brake, clutch, power steering, auto trans, washer.
- ❑ Check coolant inhibitor % with tester and check level (pressure test if level is low).
- ❑ Check battery electrolyte and fluid.
- ❑ Check for signs of deterioration and / or leaks from engine, fluid reservoirs, air ducts, all hoses and clamps.

Under vehicle

- ❑ Check final drive and auto trans for leaks.
- ❑ Replace fuel filter and seal (In-tank).
- ❑ Inspect front and rear disc pads for wear and discs for surface condition. Rotate and balance wheels.
- ❑ Inspect tyres for irregular wear or damage, check for damaged wheels. Check air pressures.
- ❑ Check all brake and fuel lines and hoses for condition, attachment and routing.
- ❑ Inspect front and rear suspension and steering system for damaged, loose or missing parts, signs of wear or lack of lubrication. Inspect power steering lines and hoses for condition, attachment and routing leaks. Check condition of all rubber boots and covers.
- ❑ Inspect exhaust system and adjacent underbody. Look for damaged, missing or out-of-position parts, open seams, holes or loose connections.
- ❑ Inspect all constant velocity joints for damaged or torn boots and propshaft rubber couplings for tears or splits.
- ❑ Inspect sunroof drain holes for blockage.
- ❑ (AWD) Check front & rear final drives, transfer case & auto trans for leaks
- ❑ (AWD) Inspect sunroof front drain grommet for blockage.

Vehicle interior

- ❑ Check park brake operation.
- ❑ Seat belt inspection. Check webbing condition, buckle operation and retractor mechanism operation.
- ❑ Reset "Service Due" light.

Vehicle exterior

- ❑ Check operation of all exterior lights.
- ❑ Lubricate bonnet catch, door hinges and all lock cylinders.
- ❑ Check transmitter range of security system.
- ❑ (AWD) Inspect sunroof rear drain grommets for blockage. (Top corners of tailgate.)

Road Test

- ❑ Check for braking, steering, engine response and transmission operation.
- ❑ Check operation of cruise control.
- ❑ Check park pawl operation.
- ❑ Check air conditioner performance.
- ❑ Check neutral start switch.
- ❑ Check for, and complete, all relevant outstanding service campaigns and manufacturer recalls.